



**CRL 4B SERIES
12 MM GLASS BASE SHOE**

AVDB4374_05_22_ZD

4B SERIES STANDARD BASE SHOE






The CRL **4B Series Base Shoe** Balustrade System was in-house designed by CRL Australia specifically to meet the challenging requirements of Australian customers. Engineered in Australia with full NATA accreditation to meet Australian Standards (AS1170 / AS1288).

The **4B Series Base Shoe** combines a slim and contemporary rectangular profile while still maintaining structural integrity. Featuring solid 10mm thick side walls and 12mm solid base and made from high strength 6106-T6 aluminium alloy, the 4B Series is our sleekest and strongest railing system to date.

The system is designed for 12mm glass to be wet glazed using a structural non-shrink grout such as CRL Kwikset Grout **KWX50**. The 4B Series base shoe is available in three finishes; mill aluminium, satin anodised and black anodised, eliminating the costs involved with cladding.


Available in two profiles; standard surface mount section which has been predrilled at 300mm centres for fixing to concrete or steel substrates while the Offset 'F' Section which comes undrilled to provide fixing flexibility for timber substrates by allowing the option to fix through the centre of the channel, and/or using the offset leg to allow for double the fixing strength.



4B SERIES STANDARD BASE SHOE

CAT. NO.	DESCRIPTION	FINISHES
4B10D	4B Series Standard Base Shoe 12mm Glass - 3m Drilled	Mill Finish
4B10DANO	4B Series Standard Base Shoe 12mm Glass - 3m Drilled	Satin Anodised
4B10DBLK	4B Series Standard Base Shoe 12mm Glass - 3m Drilled	Black Anodised
4B20D	4B Series Standard Base Shoe 12mm Glass - 6m Drilled	Mill Finish
4B20DANO	4B Series Standard Base Shoe 12mm Glass - 6m Drilled	Satin Anodised
4B20DBLK	4B Series Standard Base Shoe 12mm Glass - 6m Drilled	Black Anodised

4B SERIES F SECTION BASE SHOE



4B SERIES F SECTION BASE SHOE

CAT. NO.	DESCRIPTION	FINISHES
4BF10D	4B Series F Section Base Shoe 12mm Glass - 3m Undrilled	Mill Finish
4BF10DANO	4B Series F Section Base Shoe 12mm Glass - 3m Undrilled	Satin Anodised
4BF10DBLK	4B Series F Section Base Shoe 12mm Glass - 3m Undrilled	Black Anodised
4BF20D	4B Series F Section Base Shoe 12mm Glass - 6m Undrilled	Mill Finish
4BF20DANO	4B Series F Section Base Shoe 12mm Glass - 6m Undrilled	Satin Anodised
4BF20DBLK	4B Series F Section Base Shoe 12mm Glass - 6m Undrilled	Black Anodised



4B SERIES STANDARD BASE SHOE

CAT. NO.	DESCRIPTION	FINISHES
4BECANO	4B Series Standard Base Shoe End Cap - PAIR	Silver (Suit Satin Anodised)
4BECBLK	4B Series Standard Base Shoe End Cap - PAIR	Black (Suit Black Anodised)
4BFECANO	4B Series F Style Base Shoe End Cap - PAIR (L & R)	Silver (Suit Satin Anodised)
4BFECBLK	4B Series F Style Base Shoe End Cap - PAIR (L & R)	Black (Suit Black Anodised)

INSTALLATION TOOLS AND SUPPLIES

Grout & Sealants & Adhesives



GROUT & SEALANTS & ADHESIVES

CAT. NO.	DESCRIPTION
KWX50	Kwikset Grout 22kg
MX91	High Speed Grout Mixer
GPS10B	Black General Purpose Silicone
TREX100G	TREX Adhesive Grey
SCA1400	Soudal Chemical Anchor 280ml

Glass Handling Vacuum Lifters



GLASS HANDLING VACUUM LIFTERS

CAT. NO.	DESCRIPTION
S338	CRL 68kg Limit Comfort Grip Vacuum Lifter
W4000	Woods 57kg Limit ABS Handle Vacuum Lifter
W4950	Woods 57kg Limit Metal Handle Vacuum Lifter

Setting Blocks



SETTING BLOCKS

CAT. NO.	DESCRIPTION
SB584	6.4mm x 25mm x 50mm Neoprene Setting Blocks
SBRL5	6.4mm x 25mm x 30m Roll Neoprene Setting Block
GR5UB25	EDPM Centering "S" Setting Blocks for 4B Series Base Shoe

