CAT. NO. CATSSPSYD

CRL FRAMELESS SHOWER SCREEN PANELS

SYDNEY

CATSSPSYD_02_24_ZD_V2

C.R. LAURENCE of AUSTRALIA Pty Ltd | crlaurence.com.au

CRL®

CRL FRAMELESS SHOWER SCREEN PANELS

CRL Shower panels are Grade A 10 mm thick toughened safety glass.
Choose from a wide range of sizes to create a multitude of different shower configurations and pair with the most extensive range of shower hardware available in the industry.

CRL SHOWER SCREEN DOOR PANELS

10 mm thick toughened glass with provision for a shower door knob. Door panels are suited for use with Perth Series or Melbourne Series hinges.

CAT. NO.	WIDTH	HEIGHT	SQM	WEIGHT
SDP6001985	600 mm	1985 mm	1.19	29.8 kg
SDP6051985	605 mm	1985 mm	1.20	30.0 kg
SDP6101985	610 mm	1985 mm	1.21	30.3 kg
SDP6151985	615 mm	1985 mm	1.22	30.5 kg
SDP6201985	620 mm	1985 mm	1.23	30.8 kg
SDP6251985	625 mm	1985 mm	1.24	31.0 kg
SDP6301985	630 mm	1985 mm	1.25	31.3 kg
SDP6351985	635 mm	1985 mm	1.26	31.5 kg
SDP6401985	640 mm	1985 mm	1.27	31.8 kg
SDP6451985	645 mm	1985 mm	1.28	32.0 kg
SDP6501985	650 mm	1985 mm	1.29	32.3 kg



Glass Fabrication Detail



CRL is your one-stop shop for frameless shower screens.

CRL SHOWER SCREEN HINGE PANELS

10 mm thick toughened glass panels suitable for use with Perth Series or Melbourne Series hinges.

CAT. NO.	WIDTH	HEIGHT	SQM	WEIGHT
SHP1752000	175 mm	2000 mm	0.35	8.8 kg
SHP2002000	200 mm	2000 mm	0.40	10.0 kg
SHP2252000	225 mm	2000 mm	0.45	11.3 kg
SHP2502000	250 mm	2000 mm	0.50	12.5 kg
SHP2752000	275 mm	2000 mm	0.55	13.8 kg
SHP2852000	285 mm	2000 mm	0.57	14.3 kg
SHP2952000	295 mm	2000 mm	0.59	14.8 kg
SHP3052000	305 mm	2000 mm	0.61	15.3 kg
SHP3152000	315 mm	2000 mm	0.63	15.8 kg
SHP3252000	325 mm	2000 mm	0.65	16.3 kg
SHP3352000	335 mm	2000 mm	0.67	16.8 kg
SHP3452000	345 mm	2000 mm	0.69	17.3 kg
SHP3552000	355 mm	2000 mm	0.71	17.8 kg
SHP3652000	365 mm	2000 mm	0.73	18.3 kg
SHP3752000	375 mm	2000 mm	0.75	18.8 kg
SHP3852000	385 mm	2000 mm	0.77	19.3 kg
SHP3952000	395 mm	2000 mm	0.79	19.8 kg
SHP4052000	405 mm	2000 mm	0.81	20.3 kg
SHP4252000	425 mm	2000 mm	0.85	21.3 kg
SHP4752000	475 mm	2000 mm	0.95	23.8 kg
SHP5252000	525 mm	2000 mm	1.05	26.3 kg
SHP5752000	575 mm	2000 mm	1.15	28.8 kg



Glass Fabrication Detail



CRL SHOWER SCREEN FIXED / RETURN PANELS

10 mm thick toughened glass panels suited for use as a shower return panel or stand alone fixed panel.

CAT. NO.	WIDTH	HEIGHT	SQM	WEIGHT
SFP6002000	600 mm	2000 mm	1.20	30.0 kg
SFP6502000	650 mm	2000 mm	1.30	32.5 kg
SFP6552000	655 mm	2000 mm	1.31	32.8 kg
SFP6602000	660 mm	2000 mm	1.32	33.0 kg
SFP6652000	665 mm	2000 mm	1.33	33.3 kg
SFP6702000	670 mm	2000 mm	1.34	33.5 kg
SFP6802000	680 mm	2000 mm	1.36	34.0 kg
SFP6902000	690 mm	2000 mm	1.38	34.5 kg
SFP7002000	700 mm	2000 mm	1.40	35.0 kg
SFP7102000	710 mm	2000 mm	1.42	35.5 kg
SFP7202000	720 mm	2000 mm	1.44	36.0 kg
SFP7302000	730 mm	2000 mm	1.46	36.5 kg
SFP7402000	740 mm	2000 mm	1.48	37.0 kg
SFP7502000	750 mm	2000 mm	1.50	37.5 kg
SFP7602000	760 mm	2000 mm	1.52	38.0 kg
SFP7702000	770 mm	2000 mm	1.54	38.5 kg
SFP7802000	780 mm	2000 mm	1.56	39.0 kg
SFP7902000	790 mm	2000 mm	1.58	39.5 kg
SFP8002000	800 mm	2000 mm	1.60	40.0 kg
SFP8102000	810 mm	2000 mm	1.62	40.5 kg
SFP8202000	820 mm	2000 mm	1.64	41.0 kg
SFP8302000	830 mm	2000 mm	1.66	41.5 kg
SFP8402000	840 mm	2000 mm	1.68	42.0 kg
SFP8502000	850 mm	2000 mm	1.70	42.5 kg
SFP8602000	860 mm	2000 mm	1.72	43.0 kg
SFP8702000	870 mm	2000 mm	1.74	43.5 kg
SFP8802000	880 mm	2000 mm	1.76	44.0 kg
SFP8852000	885 mm	2000 mm	1.77	44.3 kg
SFP8902000	890 mm	2000 mm	1.78	44.5 kg
SFP8952000	895 mm	2000 mm	1.79	44.8 kg
SFP9002000	900 mm	2000 mm	1.80	45.0 kg
SFP9052000	905 mm	2000 mm	1.81	45.3 kg
SFP9152000	915 mm	2000 mm	1.83	45.8 kg
SFP9252000	925 mm	2000 mm	1.85	46.3 kg
SFP9352000	935 mm	2000 mm	1.87	46.8 kg
SFP9452000	945 mm	2000 mm	1.89	47.3 kg
SFP9552000	955 mm	2000 mm	1.91	47.8 kg
SFP9652000	965 mm	2000 mm	1.93	48.3 kg

CAT. NO.	WIDTH	HEIGHT	SQM	WEIGHT
SFP9752000	975 mm	2000 mm	1.95	48.8 kg
SFP9852000	985 mm	2000 mm	1.97	49.3 kg
SFP9952000	995 mm	2000 mm	1.99	49.8 kg
SFP10052000	1005 mm	2000 mm	2.01	50.3 kg
SFP10152000	1015 mm	2000 mm	2.03	50.8 kg
SFP10252000	1025 mm	2000 mm	2.05	51.3 kg
SFP10352000	1035 mm	2000 mm	2.07	51.8 kg
SFP10452000	1045 mm	2000 mm	2.09	52.3 kg
SFP10552000	1055 mm	2000 mm	2.11	52.8 kg
SFP10652000	1065 mm	2000 mm	2.13	53.3 kg
SFP10752000	1075 mm	2000 mm	2.15	53.8 kg
SFP10852000	1085 mm	2000 mm	2.17	54.3 kg
SFP10952000	1095 mm	2000 mm	2.19	54.8 kg
SFP11002000	1100 mm	2000 mm	2.2	55.0 kg
SFP11502000	1150 mm	2000 mm	2.3	57.5 kg
SFP12002000	1200 mm	2000 mm	2.4	60.0 kg



CRL SHOWER SCREEN ROUNDED GLASS SHELF

10 mm thick toughened glass rounded glass shelf panel. Can be used in conjuction with SGCND brackets and or silicone.

CAT. NO.	WIDTH	WIDTH	SQM	WEIGHT
SGS200	200 mm	200 mm	0.03	0.8 kg
SGS250	250 mm	250 mm	0.046	1.2 kg



INSTALLATION TOOLS

CRL Sure-Grip Vacuum Lifter

CRL is proud to introduce the latest technology in hand-held vacuum lifting cups, our CRL Sure-Grip Vacuum Lifter. Manufactured in Australia, the state-of-the-art design of the S338 offers unique features, setting it apart from other 203 mm pump-activated vacuum lifters. Superior Lifting Capacity Performance: Third party independent lab tests rate the S338 at 68 kg

CAT. NO.	DESCRIPTION	LIFTING CAPACITY
S338	CRL Sure-Grip 203 mm Vacuum Lifter	68 kg

CRL Viking Arm Kit

Kit pricing for the new VA330 Viking Arm + GP3100 Panel place and position tool attachment. These revolutionary patented tools can be used with any standard glass vacuum cup to assist in lifting and positioning glass for easier installation. Capable of lifting up to 150kg (subject to cup weight limitations), the incremental lowering value is 1mm per press of the button when the product is under load. Now you can precisely set and position glass without the need for a second helper, saving on extra labor costs and time!

CAT. NO.	DESCRIPTION
GP3VAK	CRL Viking Arm Kit
VA330	Viking Arm Handheld Tool
GP3100	Viking Glass Pane Place and Position Tool Attachment

SHOWER CONFIGURATIONS

FIXED PANEL SHOWER CONFIGURATIONS

Single panel shower with a range of available width. A support bar is recommended to stabilise the glass.

OVERALL WIDTH	FIXED PANEL
633 mm	600 mm
653 mm	650 mm
655 mm	655 mm
663 mm	660 mm
673 mm	670 mm
683 mm	680 mm
693 mm	690 mm
703 mm	700 mm
713 mm	710 mm
723 mm	720 mm
733 mm	730 mm
743 mm	740 mm
753 mm	750 mm
763 mm	760 mm
773 mm	770 mm
783 mm	780 mm
793 mm	790 mm
803 mm	800 mm

OVERALL WIDTH	FIXED PANEL
813 mm	810 mm
823 mm	820 mm
833 mm	830 mm
843 mm	840 mm
853 mm	850 mm
863 mm	860 mm
873 mm	870 mm
883 mm	880 mm
888 mm	885 mm
893 mm	890 mm
898 mm	895 mm
933 mm	900 mm
908 mm	905 mm
918 mm	915 mm
928 mm	925 mm
938 mm	935 mm
948 mm	945 mm
958 mm	955 mm

OVERALL WIDTH	FIXED PANEL
968 mm	965 mm
978 mm	975 mm
988 mm	985 mm
998 mm	995 mm
1008 mm	1005 mm
1018 mm	1015 mm
1028 mm	1025 mm
1038 mm	1035 mm
1048 mm	1045 mm
1058 mm	1055 mm
1068 mm	1065 mm
1078 mm	1075 mm
1088 mm	1085 mm
1098 mm	1095 mm
1103 mm	1100 mm
1153 mm	1150 mm
1203 mm	1200 mm

TOP VIEW



SIDE VIEW





TWO PANEL IN-LINE SHOWER CONFIGURATIONS

A hinge panel to the wall with a door to complete the opening.

OVERALL WIDTH	HINGE PANEL	DOOR PANEL
786 mm	175 mm	600 mm
791 mm	175 mm	605 mm
796 mm	175 mm	610 mm
801 mm	175 mm	615 mm
806 mm	175 mm	620 mm
811 mm	175 mm	625 mm
816 mm	175 mm	630 mm
821 mm	175 mm	635 mm
826 mm	175 mm	640 mm
831 mm	175 mm	645 mm
836 mm	175 mm	650 mm
841 mm	225 mm	605 mm
846 mm	225 mm	610 mm
851 mm	225 mm	615 mm
856 mm	225 mm	620 mm
861 mm	225 mm	625 mm
866 mm	225 mm	630 mm
871 mm	225 mm	635 mm
876 mm	225 mm	640 mm
881 mm	225 mm	645 mm
886 mm	225 mm	650 mm
891 mm	275mm	605 mm
896 mm	275mm	610 mm
901 mm	275mm	615 mm
906 mm	275mm	620 mm
911 mm	275mm	625 mm
916 mm	275mm	630 mm
921 mm	275mm	635 mm
926 mm	275mm	640 mm
931 mm	275mm	645 mm

OVERALL WIDTH	HINGE PANEL	DOOR PANEL
936 mm	275mm	650mm
941 mm	325 mm	605 mm
946 mm	325 mm	610 mm
951 mm	325 mm	615 mm
956 mm	325 mm	620 mm
961 mm	325 mm	625 mm
966 mm	325 mm	630 mm
971 mm	325 mm	635 mm
976 mm	325 mm	640 mm
981 mm	325 mm	645 mm
986 mm	325 mm	650 mm
991 mm	375 mm	605 mm
996 mm	375 mm	610 mm
1001 mm	375 mm	615 mm
1006 mm	375 mm	620 mm
1011 mm	375 mm	625 mm
1016 mm	375 mm	630 mm
1021 mm	375 mm	635 mm
1026 mm	375 mm	640 mm
1031 mm	375 mm	645 mm
1036 mm	375 mm	650 mm
1041 mm	425 mm	605 mm
1046 mm	425 mm	610 mm
1051 mm	425 mm	615 mm
1056 mm	425 mm	620 mm
1061 mm	425 mm	625 mm
1066 mm	425 mm	630 mm
1071 mm	425 mm	635 mm
1076 mm	425 mm	640 mm
1081 mm	425 mm	645 mm

OVERALL WIDTH	HINGE PANEL	DOOR PANEL
1086 mm	425 mm	650mm
1091 mm	475 mm	605 mm
1096 mm	475 mm	610 mm
1101 mm	475 mm	615 mm
1106 mm	475 mm	620 mm
1111 mm	475 mm	625 mm
1116 mm	475 mm	630 mm
1121 mm	475 mm	635 mm
1126 mm	475 mm	640 mm
1131 mm	475 mm	645 mm
1136 mm	475 mm	650 mm
1141 mm	525 mm	605 mm
1146 mm	525 mm	610 mm
1151 mm	525 mm	615 mm
1156 mm	525 mm	620 mm
1161 mm	525 mm	625 mm
1166 mm	525 mm	630 mm
1171 mm	525 mm	635 mm
1176 mm	525 mm	640 mm
1181 mm	525 mm	645 mm
1186 mm	525 mm	650 mm
1191 mm	575 mm	605 mm
1196 mm	575 mm	610 mm
1201 mm	575 mm	615 mm
1206 mm	575 mm	620 mm
1211 mm	575 mm	625 mm
1216 mm	575 mm	630 mm
1221 mm	575 mm	635 mm
1226 mm	575 mm	640 mm
1231 mm	575 mm	645 mm
1236 mm	575 mm	650 mm

TOP VIEW



SIDE VIEW





TWO PANEL IN-LINE (WALL MOUNT DOOR) SHOWER CONFIGURATIONS

A door panel hinging off the wall with a fixed panel to complete the installation.

OVERALL WIDTH	FIXED PANEL	DOOR PANEL
1220 mm	600 mm	605 mm
1230 mm	600 mm	615 mm
1240 mm	600 mm	625 mm
1250 mm	600 mm	635 mm
1260 mm	600 mm	645 mm
1270 mm	655 mm	600 mm
1280 mm	660 mm	605 mm
1290 mm	670 mm	605 mm
1300 mm	680 mm	635 mm
1310mm	650 mm	645 mm
1310mm	690mm	605mm
1320mm	690mm	615mm
1330mm	690mm	625mm
1340mm	690mm	635mm
1350mm	690mm	645mm
1360mm	700mm	645mm
1410mm	790mm	605mm
1420mm	790mm	615mm
1430mm	790mm	625mm
1440mm	790mm	635mm
1450mm	790mm	645mm

OVERALL WIDTH	FIXED PANEL	DOOR PANEL
1460mm	840mm	605mm
1470mm	840mm	615mm
1480mm	840mm	625mm
1490mm	840mm	635mm
1500mm	840mm	645mm
1510mm	890mm	605mm
1520mm	890mm	615mm
1530mm	890mm	625mm
1540mm	890mm	635mm
1550mm	890mm	645mm
1560mm	900mm	645mm
1570mm	915mm	640mm
1580mm	915mm	650mm
1590mm	925mm	650mm
1600mm	935mm	650mm
1610mm	945mm	650mm
1620mm	955mm	650mm
1630mm	965mm	650mm
1640mm	975mm	650mm
1650mm	985mm	650mm
1660mm	995mm	650mm

OVERALL WIDTH	FIXED PANEL	DOOR PANEL
1670mm	1045mm	610 mm
1680mm	1045mm	620 mm
1690mm	1045mm	630 mm
1700mm	1045mm	640 mm
1710mm	1095mm	600 mm
1720mm	1095mm	610 mm
1730mm	1095mm	620 mm
1740mm	1095mm	630 mm
1750mm	1095mm	640 mm
1760mm	1095mm	650mm
1770mm	1150mm	605mm
1780mm	1150mm	615mm
1790mm	1150mm	625mm
1800mm	1150mm	635mm
1810mm	1150mm	645mm
1820mm	1200mm	605mm
1830mm	1200mm	615mm
1840mm	1200mm	625mm
1850mm	1200mm	635mm
1860mm	1200mm	645mm

TOP VIEW



SIDE VIEW





THREE PANEL CORNER SHOWER CONFIGURATIONS

A hinge panel to the wall with a door and return panel to complete the screen.

FRONT

OVERALL WIDTH	HINGE PANEL	DOOR PANEL
850 mm	200 mm	630 mm
860 mm	225 mm	615 mm
870 mm	225 mm	625 mm
880 mm	225 mm	635 mm
890 mm	250 mm	620 mm
900 mm	250 mm	630 mm
910 mm	250 mm	640 mm
920 mm	285 mm	615 mm
930 mm	285 mm	625 mm
940 mm	285 mm	635 mm
950 mm	295 mm	635 mm
960 mm	325 mm	615 mm
970 mm	325 mm	625 mm
980 mm	325 mm	635 mm
990 mm	365 mm	605 mm
1000 mm	365 mm	615 mm
1010 mm	365 mm	625 mm
1020 mm	365 mm	635 mm
1030 mm	405 mm	605 mm
1040 mm	405 mm	615 mm
1050 mm	405 mm	625 mm
1060 mm	405 mm	635 mm
1070 mm	425 mm	625 mm
1080 mm	425 mm	635 mm
1090 mm	475 mm	605 mm
1100 mm	475 mm	615 mm
1110 mm	475 mm	625 mm
1120 mm	475 mm	635 mm
1140 mm	475 mm	645 mm
1150 mm	525 mm	605 mm
1160 mm	525 mm	615 mm
1170 mm	525 mm	625 mm
1180 mm	525 mm	635 mm
1190 mm	525 mm	645 mm
1200 mm	575 mm	605 mm
1210 mm	575 mm	615 mm
1220 mm	575 mm	625 mm
1230 mm	575 mm	635 mm

RETURN

OVERALL RETURN WIDTH	RETURN PANEL
600 mm	603 mm
650 mm	653 mm
655 mm	658 mm
660 mm	663 mm
670 mm	673 mm
680 mm	683 mm
690 mm	693 mm
700 mm	703 mm
710 mm	713 mm
720 mm	723 mm
730 mm	733 mm
740 mm	743 mm
750 mm	753 mm
760 mm	763 mm
770 mm	773 mm
780 mm	783 mm
790 mm	793 mm
800 mm	803 mm
810 mm	813 mm
820 mm	823 mm
830 mm	833 mm
840 mm	843 mm
850 mm	853 mm
860 mm	863 mm
870 mm	873 mm
880 mm	883 mm
885 mm	888 mm

OVERALL RETURN WIDTH	RETURN PANEL
890 mm	893 mm
895 mm	898 mm
900 mm	903 mm
905 mm	908 mm
915 mm	918 mm
925 mm	928 mm
935 mm	938 mm
945 mm	948 mm
955 mm	958 mm
965 mm	968 mm
975 mm	978 mm
985 mm	988 mm
995 mm	998 mm
1005 mm	1008 mm
1015 mm	1018 mm
1025 mm	1028 mm
1035 mm	1038 mm
1045 mm	1048 mm
1055 mm	1058 mm
1065 mm	1068 mm
1075 mm	1078 mm
1085 mm	1088 mm
1095 mm	1098 mm
1100 mm	1103 mm
1150 mm	1153 mm
1200 mm	1203 mm

TOP VIEW



SIDE VIEW





THREE PANEL IN-LINE SHOWER CONFIGURATIONS

A hinged and fixed panel configuration with door in between.

OVERALL INLINE WIDTH	HINGE PANEL	DOOR PANEL	FIXED PANEL
1399 mm	175 mm	610 mm	600 mm
1409 mm	175 mm	620 mm	600 mm
1419 mm	175 mm	630 mm	600 mm
1429 mm	200 mm	625mm	600 mm
1439 mm	200 mm	625mm	600 mm
1449 mm	325 mm	600 mm	600 mm
1549 mm	335 mm	600 mm	600 mm
1559 mm	325 mm	620 mm	600 mm
1569 mm	325 mm	630 mm	600 mm
1579 mm	355 mm	640 mm	600 mm
1589 mm	375 mm	620 mm	600 mm
1599 mm	375 mm	610 mm	600 mm
1609 mm	375 mm	620 mm	600 mm
1619 mm	375 mm	630 mm	600 mm
1629 mm	375 mm	640 mm	600 mm
1639 mm	375 mm	600 mm	650 mm
1649 mm	375 mm	610 mm	650 mm
1659 mm	405 mm	620 mm	650 mm
1669 mm	395 mm	600 mm	650 mm
1679 mm	425 mm	620 mm	650 mm
1689 mm	425 mm	600 mm	650 mm
1699 mm	425 mm	610 mm	650 mm
1709 mm	425 mm	620 mm	650 mm
1719 mm	425 mm	630 mm	650 mm
1729 mm	475 mm	640 mm	650 mm
1739 mm	475 mm	600 mm	650 mm
1749 mm	475 mm	610 mm	650 mm
1759 mm	475 mm	620 mm	650 mm
1769 mm	475 mm	630 mm	650 mm
1779 mm	525 mm	640 mm	650 mm
1789 mm	525 mm	600 mm	650 mm
1799 mm	475 mm	610 mm	650 mm
1809 mm	475 mm	620 mm	700 mm
1819 mm	475 mm	630 mm	700 mm
1829 mm	525 mm	640 mm	700 mm
1839 mm	525 mm	600 mm	700 mm

OVERALL INLINE WIDTH	HINGE PANEL	DOOR PANEL	FIXED PANEL
1849 mm	525 mm	610 mm	700 mm
1859 mm	525 mm	620 mm	700 mm
1869 mm	575 mm	630 mm	650 mm
1879 mm	575 mm	640 mm	650 mm
1889 mm	575 mm	650 mm	650 mm
1899 mm	575 mm	650 mm	660 mm
1909 mm	575 mm	650 mm	670 mm
1919 mm	575 mm	650 mm	680 mm
1929 mm	575 mm	650 mm	690 mm
1939 mm	575 mm	650 mm	700 mm
1949 mm	575 mm	650 mm	710 mm
1959 mm	575 mm	650 mm	720 mm
1969 mm	575 mm	650 mm	730 mm
1979 mm	575 mm	650 mm	740 mm
1989 mm	575 mm	650 mm	750 mm
1999 mm	575 mm	650 mm	760 mm
2009 mm	575 mm	650 mm	770 mm
2019 mm	575 mm	650 mm	780 mm
2029 mm	575 mm	650 mm	790 mm
2039 mm	575 mm	650 mm	800 mm
2049 mm	575 mm	650 mm	810 mm
2059 mm	575 mm	650 mm	820 mm
2069 mm	575 mm	650 mm	830 mm
2079 mm	575 mm	650 mm	840 mm
2089 mm	575 mm	650 mm	850 mm
2099 mm	575 mm	650 mm	860 mm
2109 mm	575 mm	650 mm	870 mm
2119 mm	575 mm	650 mm	880 mm
2129 mm	575 mm	650 mm	890 mm
2139 mm	575 mm	650 mm	900 mm
2149 mm	575 mm	645mm	915 mm
2159 mm	575 mm	645mm	925 mm
2169 mm	575 mm	645mm	935 mm
2179 mm	575 mm	645mm	945 mm
2189 mm	575 mm	645mm	955 mm
2199 mm	575 mm	645mm	965 mm

TOP VIEW



SIDE VIEW





CRL FRAMELESS SHOWER SCREEN HARDWARE

PERTH SERIES PROFESSIONAL GLASS HINGES

Perth Series professional hinges are pre-set to accommodate 10 mm thick glass. The gaskets are glued into the hinge, promoting rapid installation. Composed of solid brass, the spring will self center within 25 degrees of the closed position and will open both inwards and outwards. All Perth Series hinges suit CRL pre-fabricated shower panels.
Adjustable Perth Series professional hinges are pre-set to accommodate 10 mm thick glass and are adjustable to accommodate the desired angle (up to 90 degrees) after the door is installed. The door can swing 90 degrees inward and 90 degrees outward (adjusting angle from factory set position will reduce 90 degrees swing in that direction).

CAT. NO.	DESCRIPTION	COLOUR
PER180CH	180 Degree Glass to Glass Hinge	Chrome
PER180BN	180 Degree Glass to Glass Hinge	Brushed Nickel
PER180MBL	180 Degree Glass to Glass Hinge	Matt Black
PER180BR	180 Degree Glass to Glass Hinge	Polished Brass
PER180BB	180 Degree Glass to Glass Hinge	Brushed Brass
PER180BAB	180 Degree Glass to Glass Hinge	Brushed Antique Brass
PER180MGM	180 Degree Glass to Glass Hinge	Matt Gun Metal
PER180SC	180 Degree Glass to Glass Hinge	Satin Chrome
PER180W	180 Degree Glass to Glass Hinge	White
PER180BRG	180 Degree Glass to Glass Hinge	Brushed Rose Gold
PER380CH	180 Degree Adjustable Glass to Glass Hinge	Chrome
PER380BN	180 Degree Adjustable Glass to Glass Hinge	Brushed Nickel
PER380MBL	180 Degree Adjustable Glass to Glass Hinge	Matt Black

CAT. NO.	DESCRIPTION	COLOUR
PER044CH	Wall to Glass Hinge Offset	Chrome
PER044BN	Wall to Glass Hinge Offset	Brushed Nickel
PER044MBL	Wall to Glass Hinge Offset	Matt Black
PER044BR	Wall to Glass Hinge Offset	Polished Brass
PER044BB	Wall to Glass Hinge Offset	Brushed Brass
PER044BAB	Wall to Glass Hinge Offset	Brushed Antique Brass
PER044MGM	Wall to Glass Hinge Offset	Matt Gun Metal
PER044SC	Wall to Glass Hinge Offset	Satin Chrome
PER044W	Wall to Glass Hinge Offset	White
PER044BRG	Wall to Glass Hinge Offset	Brushed Rose Gold
PER344CH	Adjustable Wall to Glass Hinge Offset	Chrome
PER344BN	Adjustable Wall to Glass Hinge Offset	Brushed Nickel
PER344MBL	Adjustable Wall to Glass Hinge Offset	Matt Black

CAT. NO.	DESCRIPTION	COLOUR
PER037CH	Wall to Glass Hinge	Chrome
PER037BN	Wall to Glass Hinge	Brushed Nickel
PER037MBL	Wall to Glass Hinge	Matt Black

PERTH SERIES BRACKETS

Perth Series brackets are made of solid brass and available in several finishes. These clamps are suited for use with CRL pre-fabricated fixed shower panels.



CAT. NO.	DESCRIPTION	COLOUR
SGCWMCH	Square Wall Mount Bracket	Chrome
SGCWMBN	Square Wall Mount Bracket	Brushed Nickel
SGCWMMBL	Square Wall Mount Bracket	Matt Black
SGCWMBR	Square Wall Mount Bracket	Polished Brass
SGCWMBB	Square Wall Mount Bracket	Brushed Brass
SGCWMBAB	Square Wall Mount Bracket	Brushed Antique Brass
SGCWMMGM	Square Wall Mount Bracket	Matt Gun Metal
SGCWMSC	Square Wall Mount Bracket	Satin Chrome
SGCWMW	Square Wall Mount Bracket	White
SGCWMBRG	Square Wall Mount Bracket	Brushed Rose Gold



CAT. NO.	DESCRIPTION	COLOUR
SGC90DCH	Square 90 Degree Glass Clamp	Chrome
SGC90DBN	Square 90 Degree Glass Clamp	Brushed Nickel
SGC90DMBL	Square 90 Degree Glass Clamp	Matt Black
SGC90DBR	Square 90 Degree Glass Clamp	Polished Brass
SGC90DBB	Square 90 Degree Glass Clamp	Brushed Brass
SGC90DBAB	Square 90 Degree Glass Clamp	Brushed Antique Brass



CAT. NO.	DESCRIPTION	COLOUR
SGC180DCH	Square Wall Mount Bracket	Chrome
SGC180DBN	Square Wall Mount Bracket	Brushed Nickel
SGC180DMBL	Square Wall Mount Bracket	Matt Black
SGC180DBR	Square Wall Mount Bracket	Polished Brass
SGC180DBB	Square Wall Mount Bracket	Brushed Brass
SGC180DBAB	Square Wall Mount Bracket	Brushed Antique Brass



CAT. NO.	DESCRIPTION	COLOUR
SGC180WMCH	Square 180 Degree Wall Mount Glass Clamp	Chrome
SGC180WMBN	Square 180 Degree Wall Mount Glass Clamp	Brushed Nickel
SGC180WMMBL	Square 180 Degree Wall Mount Glass Clamp	Matt Black
SGC180WMBR	Square 180 Degree Wall Mount Glass Clamp	Polished Brass
SGC180WMBB	Square 180 Degree Wall Mount Glass Clamp	Brushed Brass
SGC180WMBAB	Square 180 Degree Wall Mount Glass Clamp	Brushed Antique Brass

NO DRILL CLAMPS

No Drill clamps are made of solid brass and available in several finishes. This clamp provides an alternative to clamps which require drilled holes or notches in the glass and are suited to use with CRL pre-fabricated shower panels. A single nylon tipped grub screw is tightened to secure onto 10 mm glass.



CAT. NO.	DESCRIPTION	COLOUR
SGCNDCH	Square No Drill Clamp	Chrome
SGCNDBN	Square No Drill Clamp	Brushed Nickel
SGCNDMBL	Square No Drill Clamp	Matt Black
SGCNDBR	Square No Drill Clamp	Polished Brass
SGCNDBB	Square No Drill Clamp	Brushed Brass
SGCNDBAB	Square No Drill Clamp	Brushed Antique Brass
SGCNDMGM	Square No Drill Clamp	Matt Gun Metal
SGCNDSC	Square No Drill Clamp	Satin Chrome
SGCNDW	Square No Drill Clamp	White
SGCNDBRG	Square No Drill Clamp	Brushed Rose Gold



CAT. NO.	DESCRIPTION	COLOUR
SGCNDLCH	Square No Drill Clamp with Leg	Chrome
SGCNDLBN	Square No Drill Clamp with Leg	Brushed Nickel
SGCNDLMBL	Square No Drill Clamp with Leg	Matt Black
SGCNDLBR	Square No Drill Clamp with Leg	Polished Brass
SGCNDLBB	Square No Drill Clamp with Leg	Brushed Brass
SGCNDLBAB	Square No Drill Clamp with Leg	Brushed Antique Brass
SGCNDLMGM	Square No Drill Clamp with Leg	Matt Gun Metal
SGCNDLSC	Square No Drill Clamp with Leg	Satin Chrome
SGCNDLW	Square No Drill Clamp with Leg	White
SGCNDLBRG	Square No Drill Clamp with Leg	Brushed Rose Gold



CAT. NO.	DESCRIPTION	COLOUR
NDC4CH	No-Drill Fixed Panel Clamp	Chrome
NDC4BN	No-Drill Fixed Panel Clamp	Brushed Nickel
NDC4MBL	No-Drill Fixed Panel Clamp	Matt Black
NDC4BR	No-Drill Fixed Panel Clamp	Polished Brass



CAT. NO.	DESCRIPTION	COLOUR
SGCNDL180CH	No-Drill Fixed Panel Clamp	Chrome
SGCNDL180BN	No-Drill Fixed Panel Clamp	Brushed Nickel
SGCNDL180MBL	No-Drill Fixed Panel Clamp	Matt Black
SGCNDL180BB	No-Drill Fixed Panel Clamp	Brushed Brass

SLEEVE OVER GLASS CLAMPS

Sleeve Over glass clamps provide a mechanical fastener that adds support to shower panels. They can also be used as a temporary aid to hold panels in position whilst sealants are curing.



CAT. NO.	DESCRIPTION	COLOUR
SOGC90CH	Sleeve Over Clamp 90 Degrees	Chrome
SOGC90BN	Sleeve Over Clamp 90 Degrees	Brushed Nickel
SOGC90MBL	Sleeve Over Clamp 90 Degrees	Matt Black
SOGC90BR	Sleeve Over Clamp 90 Degrees	Polished Brass



CAT. NO.	DESCRIPTION	COLOUR
SOGC91CH	Sleeve Over Clamp 90 Degrees Adjustable	Chrome
SOGC91BN	Sleeve Over Clamp 90 Degrees Adjustable	Brushed Nickel
SOGC91MBL	Sleeve Over Clamp 90 Degrees Adjustable	Matt Black
SOGC91BR	Sleeve Over Clamp 90 Degrees Adjustable	Polished Brass



CAT. NO.	DESCRIPTION	COLOUR
SOGC37LCH	Sleeve Over Clamp Left Hand Wall Mount	Chrome
SOGC37LBN	Sleeve Over Clamp Left Hand Wall Mount	Brushed Nickel
SOGC37LMBL	Sleeve Over Clamp Left Hand Wall Mount	Matt Black
SOGC37LBR	Sleeve Over Clamp Left Hand Wall Mount	Polished Brass



CAT. NO.	DESCRIPTION	COLOUR
SOGC37RCH	Sleeve Over Clamp Right Hand Wall Mount	Chrome
SOGC37RBN	Sleeve Over Clamp Right Hand Wall Mount	Brushed Nickel
SOGC37RMBL	Sleeve Over Clamp Right Hand Wall Mount	Matt Black
SOGC37RBR	Sleeve Over Clamp Right Hand Wall Mount	Polished Brass



CAT. NO.	DESCRIPTION	COLOUR
SOGC01CH	Sleeve Over Clamp Ceiling Mount	Chrome
SOGC01BN	Sleeve Over Clamp Ceiling Mount	Brushed Nickel
SOGC01MBL	Sleeve Over Clamp Ceiling Mount	Matt Black
SOGC01BR	Sleeve Over Clamp Ceiling Mount	Polished Brass

SHOWER U CHANNELS

Shower U channels are available in regular, deep and extended sizes for use with CRL pre-fabricated shower panels.



CAT. NO.	DESCRIPTION	COLOUR
SDCR38BA	9.5 mm High U Channel x 2.4 m	Chrome
SDCR38BN	9.5 mm High U Channel x 2.4 m	Brushed Nickel
SDCR38MBL	9.5 mm High U Channel x 2.4 m	Matt Black
SDCR38BGA	9.5 mm High U Channel x 2.4 m	Bright Gold Anodised



CAT. NO.	DESCRIPTION	COLOUR
SDCD38BA	19 mm High U Channel x 2.4 m	Chrome
SDCD38BN	19 mm High U Channel x 2.4 m	Brushed Nickel
SDCD38MBL	19 mm High U Channel x 2.4 m	Matt Black
SDCD38BGA	19 mm High U Channel x 2.4 m	Bright Gold Anodised
SDCD38SB	19 mm High U Channel x 2.4 m	Satin Brass
SDCD38A	19 mm High U Channel x 2.4 m	Satin Anodised
SDCD38W	19 mm High U Channel x 2.4 m	White

***ADDITIONAL FINISHES & 3.6 M LENGTHS AVAILABLE* (CAT. NO. SDCD3812)**



CAT. NO.	DESCRIPTION	COLOUR
SDCE38BA	30 mm High U Channel x 2.4 m	Chrome
SDCE38BN	30 mm High U Channel x 2.4 m	Brushed Nickel
SDCE38MBL	30 mm High U Channel x 2.4 m	Matt Black
SDCE38BGA	30 mm High U Channel x 2.4 m	Bright Gold Anodised



CAT. NO.	DESCRIPTION	COLOUR
SDCD12BA	19 mm High U Channel x 2.4 m	Chrome
SDCD12BN	19 mm High U Channel x 2.4 m	Brushed Nickel
SDCD12MBL	19 mm High U Channel x 2.4 m	Matt Black
SDCD12BGA	19 mm High U Channel x 2.4 m	Bright Gold Anodised
SDCD12SB	19 mm High U Channel x 2.4 m	Satin Brass
SDCD12A	19 mm High U Channel x 2.4 m	Satin Anodised
SDCD12W	19 mm High U Channel x 2.4 m	White

***ADDITIONAL FINISHES & 3.6 M LENGTHS AVAILABLE* (CAT. NO. SDCD1212)**

SHOWER DOOR KNOBS

Perth Series shower knobs are constructed from solid brass and are suitable for use with CRL pre-fabricated shower panels. Available in a wide range of finishes.



CAT. NO.	DESCRIPTION	COLOUR
SDKR2530CH	Round Knob 25 mm x 30 mm	Chrome
SDKR2530BN	Round Knob 25 mm x 30 mm	Brushed Nickel
SDKR2530MBL	Round Knob 25 mm x 30 mm	Matt Black



CAT. NO.	40 mm DESCRIPTION	COLOUR
SDKR2540CH	Round Knob 25 mm x 40 mm	Chrome
SDKR2540BN	Round Knob 25 mm x 40 mm	Brushed Nickel
SDKR2540MBL	Round Knob 25 mm x 40 mm	Matt Black
SDKR2540BR	Round Knob 25 mm x 40 mm	Polished Brass
SDKR2540BB	Round Knob 25 mm x 40 mm	Brushed Brass
SDKR2540BAB	Round Knob 25 mm x 40 mm	Brushed Antique Brass
SDKR2540MGM	Round Knob 25 mm x 40 mm	Matt Gun Metal
SDKR2540SC	Round Knob 25 mm x 40 mm	Satin Chrome
SDKR2540W	Round Knob 25 mm x 40 mm	White
SDKR2540BRG	Round Knob 25 mm x 40 mm	Brushed Rose Gold



CAT. NO.	DESCRIPTION	COLOUR
SDKSQCH	Square Back to Back Knob 25 mm x 30 mm	Chrome
SDKSQBN	Square Back to Back Knob 25 mm x 30 mm	Brushed Nickel
SDKSQMBL	Square Back to Back Knob 25 mm x 30 mm	Matt Black



CAT. NO.	DESCRIPTION	COLOUR
SDK140CH	Crescent Grip Knob 25 mm x 30 mm	Chrome
SDK140BN	Crescent Grip Knob 25 mm x 30 mm	Brushed Nickel
SDK140MBL	Crescent Grip Knob 25 mm x 30 mm	Matt Black
SDK140BR	Crescent Grip Knob 25 mm x 30 mm	Polished Brass

BRACE PANEL SUPPORT BRACKETS

Brace panel support brackets are composed of solid brass and suitable for 8-10 mm glass. A single nylon tipped grub screw is tightened to secure the glass brace panel and provide rigidity to the shower screen.

CAT. NO.	DESCRIPTION	COLOUR
SUPA10CH	Brace panel support bracket	Chrome
SUPA10BN	Brace panel support bracket	Brushed Nickel
SUPA10MBL	Brace panel support bracket	Matt Black
SUPA10BR	Brace panel support bracket	Polished Brass
SUPA10BB	Brace panel support bracket	Brushed Brass
SUPA10BAB	Brace panel support bracket	Brushed Antique Brass
SUPA10MGM	Brace panel support bracket	Matt Gun Metal
SUPA10SC	Brace panel support bracket	Satin Chrome
SUPA10W	Brace panel support bracket	White
SUPA10BRG	Brace panel support bracket	Brushed Rose Gold

FIXED PANEL ROUND SUPPORT BARS & FITTINGS

Fixed panel round support bars are designed to stabilise the glass panels. Nylon tipped grub screws secure the glass and the support bar can attach to the wall or ceiling.

CAT. NO.	DESCRIPTION	COLOUR
SUP10CH	Fixed panel to wall support bar kit 1 m	Chrome
SUP10BN	Fixed panel to wall support bar kit 1 m	Brushed Nickel
SUP10BR	Fixed panel to wall support bar kit 1 m	Polished Brass
SUP10CH51	Fixed panel to wall support bar kit 1.3 m	Chrome
SUP10BN51	Fixed panel to wall support bar kit 1.3 m	Brushed Nickel



CAT. NO.	DESCRIPTION	COLOUR
S1CH	Support bar only 1 m	Chrome
S1BN	Support bar only 1 m	Brushed Nickel
S1BR	Support bar only 1 m	Polished Brass
S1MBL	Support bar only 1 m	Matt Black
S2CH	Support bar only 1.3 m	Chrome
S2BN	Support bar only 1.3 m	Brushed Nickel
S2BR	Support bar only 1.3 m	Polished Brass
S2MBL	Support bar only 1.3 m	Matt Black
S80CH	Support bar only 2 m	Chrome
S80BN	Support bar only 2 m	Brushed Nickel
S80BR	Support bar only 2 m	Polished Brass
S80MBL	Support bar only 2 m	Matt Black

CAT. NO.	DESCRIPTION	COLOUR
S5CH	Glass mount adjustable bracket - 10 or 12mm Glass	Chrome
S5BN	Glass mount adjustable bracket - 10 or 12mm Glass	Brushed Nickel
S5BR	Glass mount adjustable bracket - 10 or 12mm Glass	Polished Brass
S5MBL	Glass mount adjustable bracket - 10 or 12mm Glass	Matt Black

CAT. NO.	DESCRIPTION	COLOUR
S7CH	Moveable glass mount bracket for 10 or 12mm Glass	Chrome
S7BN	Moveable glass mount bracket for 10 or 12mm Glass	Brushed Nickel
S7MBL	Moveable glass mount bracket for 10 or 12mm Glass	Matt Black

CAT. NO.	DESCRIPTION	COLOUR
S910CH	Vertical glass mount bracket for 10 or 12mm Glass	Chrome
S910BN	Vertical glass mount bracket for 10 or 12mm Glass	Brushed Nickel
S910MBL	Vertical glass mount bracket for 10 or 12mm Glass	Matt Black



CAT. NO.	DESCRIPTION	COLOUR
S13CH	Adjustable Slim-line Glass Fitting for 6 to 12mm Glass	Chrome
S13BN	Adjustable Slim-line Glass Fitting for 6 to 12mm Glass	Brushed Nickel



CAT. NO.	DESCRIPTION	COLOUR
S12CH	Wall/ceiling mount tube bracket	Chrome
S12BN	Wall/ceiling mount tube bracket	Brushed Nickel
S12BR	Wall/ceiling mount tube bracket	Polished Brass
S12MBL	Wall/ceiling mount tube bracket	Matt Black

CAT. NO.	DESCRIPTION	COLOUR
S14CH	Wall mount top fitting	Chrome
S14BN	Wall mount top fitting	Brushed Nickel
S14MBL	Wall mount top fitting	Matt Black



CAT. NO.	DESCRIPTION	COLOUR
SBB45CH	45° Wall mount tube fitting	Chrome
SBB45BN	45° Wall mount tube fitting	Brushed Nickel
SBB45MBL	45° Wall mount tube fitting	Matt Black

FIXED PANEL SQUARE SUPPORT BARS & BRACKETS

Fixed panel square support bars are designed to stabilise the glass panels. Nylon tipped grub screws secure the glass and the support bar can attach to the wall or ceiling.

CAT. NO.	DESCRIPTION	COLOUR
SQ39CH	Square Support Bar only 1 m	Chrome
SQ39BN	Square Support Bar only 1 m	Brushed Nickel
SQ39MBL	Square Support Bar only 1 m	Matt Black

CAT. NO.	DESCRIPTION	COLOUR
SQ59CH	Square Support Bar only 1.5 m	Chrome
SQ59BN	Square Support Bar only 1.5 m	Brushed Nickel
SQ59MBL	Square Support Bar only 1.5 m	Matt Black

CAT. NO.	DESCRIPTION	COLOUR
SQ42CH	Swivel Glass Mount U-Bracket	Chrome
SQ42BN	Swivel Glass Mount U-Bracket	Brushed Nickel
SQ42MBL	Swivel Glass Mount U-Bracket	Matt Black

CAT. NO.	DESCRIPTION	COLOUR
SQ46CH	Wall/Ceiling Mount Bracket	Chrome
SQ46BN	Wall/Ceiling Mount Bracket	Brushed Nickel
SQ46MBL	Wall/Ceiling Mount Bracket	Matt Black

CAT. NO.	DESCRIPTION	COLOUR
SQ910CH	Vertical Glass Mount Bracket	Chrome
SQ910BN	Vertical Glass Mount Bracket	Brushed Nickel

SHOWER DOOR THRESHOLDS

Shower door thresholds are mounted directly below the shower door to assist the water drainage back into the shower enclosure. Ideal for flat or out-sloping curbs. Thresholds may be used in conjunction with a bottom sweep.



CAT. NO.	DESCRIPTION	COLOUR
WBCH	Half Round Shower Threshold 5 mm x 12 mm x 2 m	Chrome
WBBN	Half Round Shower Threshold 5 mm x 12 mm x 2 m	Brushed Nickel
WBMBL	Half Round Shower Threshold 5 mm x 12 mm x 2 m	Matt Black
WBSB	Half Round Shower Threshold 5 mm x 12 mm x 2 m	Satin Brass



CAT. NO.	DESCRIPTION	COLOUR
WBCHSQ	Square Shower Door Threshold 10 mm x 10 mm x 2 m	Chrome



CAT. NO.	DESCRIPTION	COLOUR
SDT980BA	Wide Shower Door Threshold 6 mm x 20 mm x 2.4 m	Chrome
SDT980BN	Wide Shower Door Threshold 6 mm x 20 mm x 2.4 m	Brushed Nickel
SDT980MBL	Wide Shower Door Threshold 6 mm x 20 mm x 2.4 m	Matt Black
SDT980BGA	Wide Shower Door Threshold 6 mm x 20 mm x 2.4 m	Bright Gold Anodised
SDT980CLR	Wide Shower Door Threshold 6 mm x 20 mm x 2.4 m	Translucent



CAT. NO.	DESCRIPTION	COLOUR
S1L001CH	Tapered Shower Threshold 10 mm x 16 mm x 2.4 m	Chrome
S1L001BN	Tapered Shower Threshold 6 mm x 20 mm x 2.4 m	Brushed Nickel
S1L001MBL	Tapered Shower Threshold 6 mm x 20 mm x 2.4 m	Matt Black
S1L001A	Tapered Shower Threshold 6 mm x 20 mm x 2.4 m	Satin Anodised
S1L001W	Tapered Shower Threshold 6 mm x 20 mm x 2.4 m	White

WATER SEALS AND SWEEPS

Water seals and sweeps are designed to minimise water leakage from frameless shower enclosures. The range features both snap on and stick-on options. The seals offer anti-fungus and UV protectors to maximise the seal life.



CAT. NO.	DESCRIPTION	LENGTH	COLOUR
P990WS	Clear Co-Extruded Bottom Wipe with Drip Rail	2.4 m	Translucent



CAT. NO.	DESCRIPTION	LENGTH	COLOUR
P500BR	Clear Bottom Rail with Wipe	2.4 m	Translucent



CAT. NO.	DESCRIPTION	LENGTH	COLOUR
P501BR	One-Piece Bottom Rail with Wipe	2.4 m	Translucent



CAT. NO.	DESCRIPTION	LENGTH	COLOUR
P880WS	Dual Durometer PVC Seal with Wipe	2.4 m	Translucent



CAT. NO.	DESCRIPTION	LENGTH	COLOUR
P375HW	Multi-Purpose 'H' Wipe	2.4 m	Translucent



CAT. NO.	DESCRIPTION	LENGTH	COLOUR
P375HWS	Multi-Purpose 'H' Wipe with Extra Soft Legs	2.4 m	Translucent



CAT. NO.	DESCRIPTION	LENGTH	COLOUR
PCR10	Polycarbonate 'U' with Bulb	2.4 m	Translucent



CAT. NO.	DESCRIPTION	LENGTH	COLOUR
P090SJ	'U' Seal with Leg and Vinyl Insert at 90 Degrees	2.4 m	Translucent



CAT. NO.	DESCRIPTION	LENGTH	COLOUR
P380HJ	Polycarbonate 'h' Jamb 180 Degree	2.4 m	Translucent



CAT. NO.	DESCRIPTION	LENGTH	COLOUR
P10MMHJ	Polycarbonate 'h' - Jamb 180 Degree	2.4 m	Translucent



CAT. NO.	DESCRIPTION	LENGTH	COLOUR
PCC10	'Y' Jamb Seal with Soft Leg	2.4 m	Translucent



CAT. NO.	DESCRIPTION	LENGTH	COLOUR
P12LJ	Multi-Purpose 'L' Angle	2.4 m	Translucent



CAT. NO.	DESCRIPTION	LENGTH	COLOUR
SDTLT2	Translucent Vinyl 'L' Seal with Tape	2.4 m	Translucent



CAT. NO.	DESCRIPTION	LENGTH	COLOUR
PCJ10	90 Degree Strike Side Seal	2.4 m	Translucent

WATER SEALS AND SWEEPS

CAT. NO.	DESCRIPTION	LENGTH	COLOUR
SDTST2	Translucent Vinyl Edge 'V' Seal with Tape	2.4 m	Translucent



CAT. NO.	DESCRIPTION	LENGTH	COLOUR
SDLB	Translucent Vinyl Bulb Seal	2.4 m	Translucent



CAT. NO.	DESCRIPTION	LENGTH	COLOUR
S1LB	Translucent Silicone Bulb Seal	2.4 m	Translucent



CAT. NO.	DESCRIPTION	LENGTH	COLOUR
PMA10	45 Degree LH Magnetic Profile Glass to Glass	2.4 m	Translucent



CAT. NO.	DESCRIPTION	LENGTH	COLOUR
PMB10	45 Degree RH Magnetic Profile Glass to Glass	2.4 m	Translucent



CAT. NO.	DESCRIPTION	LENGTH	COLOUR
PMC10	90 Degree Magnetic Profile Glass to Glass	2.4 m	Translucent

MAGNETIC PROFILE CONFIGURATIONS

Angle	Profiles Required	Configuration
180°	PMC10 + PMA10	Door swings in one direction only
180°	PMA10 + PMC10	Door swings in both directions
135°	PMA10 + PMC10	Door swings out only
90°	PMA10 + PMB10	Reverse for polarity-door swings out only

CRL Sanitary Silicone Sealant

CRL Sanitary Silicone is a one-part, high modulus, fast cure and long skin time neutral cure sanitary silicone sealant. It resists mildew, even when exposed to prolonged hot and humid environments. The sealant does not provide or maintain a nutrient surface for fungus. This sealant effectively seals around bathtubs, shower stalls, wall fixtures, rimless sinks, kitchen and bathroom fixtures.

CAT. NO.	DESCRIPTION	COLOUR
CRL2601	CRL Clear Neutral Cure Sanitary Silicone 300 g	Translucent
CRL2602	CRL Clear Neutral Cure Sanitary Silicone 300 g	White

CRL High Performance Silicone Sealant

CRL HPS60 High Performance Glazing Silicone is a premium 100% fast curing, high strength, neutral cure silicone adhesive/sealant. Designed for all facets of glazing with excellent adhesion to glass, powder coated or anodised aluminium, steel, Colorbond®, masonry, wood, tile and many plastics. HPS60's unique non-slump high viscosity formula is perfectly suited for large vertical and overhead butt-joint, glazing of colonial bars as well as any glazing and weatherproofing applications.

CAT. NO.	DESCRIPTION	COLOUR
HPS60C	CRL High Performance Glazing Silicone 300 g	Translucent
HPS60B	CRL High Performance Glazing Silicone 300 g	Black

Trex MS Adhesive

CRL Crystal Clear T-Rex Power MS Adhesive is a crystal clear, neutral, elastic, single component sealant/adhesive based on MS polymers. It has outstanding bond strength, mostly without primer, on nearly all surfaces, even moist.

CAT. NO.	DESCRIPTION	COLOUR
TREX100C	Trex MS Adhesive 300 g	Crystal Clear
TREX100B	Trex MS Adhesive 300 g	Black
TREX100W	Trex MS Adhesive 300 g	White
TREX100G	Trex MS Adhesive 300 g	Grey

SETTING BLOCKS

CRL Repel All Purpose Surface Cleaner

- Pefect for Glass, Hardware, Mirrors, Tiles, Acylic and Chrome Fixtures
- Repels and resist water, soil, grime and fingerprints
- Clean to a Streak-Free Shine
- Gentle Enough for Any Surface
- Great for Treating Stainless Steel and Hard Mineral Surfaces
- Alcohol and VOC - Free

CAT. NO.	DESCRIPTION	Package
CRLREPEL32	CRL Repel All Purpose Surface Cleaner	946 ml



CRL Clear Setting Blocks

CRL Clear Plastic Setting Blocks are especially suited for use where black neoprene or thermoplastic rubber setting blocks are undesirable, such as in mirror or frameless shower installations. They are barely visible in the bottoms of Mirror J-Channel, or on the bottom of sliding track H-Bar.

CAT. NO.	DESCRIPTION	THICKNESS	WIDTH	LENGTH
PSB040AU	CRL Clear Plastic Setting Blocks - Pack of 100	1 mm	6 mm	50 mm
PSB080AU	CRL Clear Plastic Setting Blocks - Pack of 100	2 mm	6 mm	50 mm
PSB125AU	CRL Clear Plastic Setting Blocks - Pack of 100	3 mm	6 mm	50 mm
PSB156AU	CRL Clear Plastic Setting Blocks - Pack of 100	4 mm	6 mm	50 mm
PSB250AU	CRL Clear Plastic Setting Blocks - Pack of 100	6 mm	6 mm	50 mm
PSB375AU	CRL Clear Plastic Setting Blocks - Pack of 100	10 mm	6 mm	50 mm
SB10375CL	CRL Clear Plastic Setting Blocks - Pack of 100	3 mm	10 mm	75 mm
SB10575CL	CRL Clear Plastic Setting Blocks - Pack of 100	5 mm	10 mm	75 mm
SB101275CL	CRL Clear Plastic Setting Blocks - Pack of 100	10 mm	12 mm	75 mm
SB12350	CRL Clear Plastic Setting Blocks - Pack of 100	3 mm	12 mm	50 mm
SB12650	CRL Clear Plastic Setting Blocks - Pack of 100	6 mm	12 mm	50 mm
SB101250	CRL Clear Plastic Setting Blocks - Pack of 100	10 mm	12 mm	50 mm

CRL Universal Sterling Shears

These CRL Universal Shears are great for cutting PVC strips, rubber gaskets, molding and weather-strip. The cutter is made of high-quality steel with vinyl handgrips which allow for comfort when cutting.

CAT. NO.	DESCRIPTION
1105	CRL Universal Shears
1105B	CRL Replacement Blade for 1105 Cutter

CLEANING PRODUCTS

CRL 1973 Ammoniated Aerosol Glass Cleaner

CRL 1973 Glass Cleaner, a longtime favorite of CRL customers, is a low ammoniated glass cleaner that is packaged in the traditional easy-to-handle 500 g CRL glass cleaner has effective cleaning agents that leave glass sparkling clean. It also has a pleasant aroma, so you can use it indoors and out with equal effectiveness.

CAT. NO.	DESCRIPTION	Package
1973	CRL 1973 Ammoniated Aerosol Glass Cleaner – One Case of 12 Cans	500g Per Can

CRL Lint-Free Glass Wipes

Extra-tough CRL Lint-Free Glass Wipes bring the absorbing power you need in a lighter weight material that's reinforced with a nylon scrim for extra strength. The ripple texture makes them easy to hold during use, and provides just the right amount of surface area for cleaning solutions to do their work.

CAT. NO.	DESCRIPTION
BX15	CRL 150 Lint-Free Glass Wipes Box
1550	CRL Bulk Lint-Free Glass Wipes - 6 Boxes

CRL "Sparkle" Cleaner and Stain Remover

CRL "Sparkle" Cleaner does those glass cleaning jobs too tough for spray-on cleaners. It removes light water spots and stains in glass caused by weather, sea air, or pollution; also removes soap scum from shower doors and ceramic tile. Use it on auto glass to remove water spots from automatic windshield washers. Wipe on with a damp cloth or paper towel, rub stained areas, then wipe off.

CAT. NO.	DESCRIPTION	Package
SP101	CRL "Sparkle" Cleaner and Stain Remover	236 ml Bottle

CRL Bio-clean Water Stain Remover

CRL Bio-Clean is a professional strength cleaner recommended by both glazing contractors and professional window cleaning companies. Effectively Removes Water and Mineral Stains, Lime Scale, Calcium, Soap Scum, Oxidation, Rust, Tree Sap, Paint Overspray, Mold, Tarnish, Salt Spray, and Mildew From Glass and Other Surfaces. Suitable for Shower Doors, Windows, Glass Surfaces, Tile, Fiberglass, Windshields, Chrome, Porcelain, Corian®, Anodized Brass and Aluminum, Stainless Steel, and Hard Vinyl.

CAT. NO.	DESCRIPTION	Package
WSR1	CRL Bio-Clean Water Stain Remover	473 ml Bottle

Call on 1800 424 275
Fax on 1800 813 013

Sydney
9 Shale Place
Eastern Creek
NSW 2766
Tel. +61 2 9851 3444

Melbourne
42 Enterprise Drive
Rowville
VIC 3178
Tel. +61 3 9764 8322

Enquiries
Email: crlaus@crlaurence.com

www.crlaurence.com.au

CRL®