



The **Perth Series** of professional hinges are pre-set to accommodate 10 mm thick glass. The gaskets are glued into the hinge to promote rapid installation. Composed of solid brass, the spring will self centre within 25 degrees of the closed position and will open both inwards and outwards. Selected hardware available in ten finishes including Polished Chrome, Brushed Nickel, Matt Black, Polished Brass, Brushed Brass, Brushed Antique Brass, Satin Chrome, White, Matt Gun Metal and Brushed Rose Gold.

#### SPECIFICATIONS (10 MM THICK GLASS)

MAXIMUM CAPACITY	DOOR WEIGHT	DOOR WIDTH	MAXIMUM CAPACITY	DOOR WEIGHT	DOOR WIDTH
USING TWO HINGES	36kg	711 mm	USING THREE HINGES	54kg	813 mm



# **AVAILABLE FINISHES**



POLISHED CHROME



SATIN CHROME



BRUSHED NICKEL



MATT BLACK



POLISHED BRASS



WHITE



BRUSHED BRASS



MATT GUN METAL



BRUSHED ANTIQUE BRASS





BRUSHED ROSE GOLD

### 180 Degree Glass to Glass Hinge

- 180 Degree Glass to Glass
- Solid Brass Construction
- Suitable for 10 mm Thick Glass
- Glued in Gasket
- Recommended Glass to Glass Clearance: 4 mm







#### 180 DEGREE GLASS TO GLASS HINGE

CAT. NO.	COLOUR
PER180CH	Polished Chrome
PER180BN	Brushed Nickel
PER180MBL	Matt Black
PER180BR	Polished Brass
PER180BB	Brushed Brass
PER180BAB	Brushed Antique Brass
PER180SC	Satin Chrome
PER180MGM	Matt Gun Metal
PER180BRG	Brushed Rose Gold
PER180W	White


# Adjustable Hinges


PER380CH Polished Chrome PER380BN Brushed Nickel PER380MBL Matt Black

#### Wall to Glass Offset Hinge

- Offset Back Plate
- Solid Brass Construction
- Suitable for 10 mm Thick Glass
- Glued in Gasket
- Recommended Wall to Glass Clearance: 8 mm







#### WALL TO GLASS HINGE OFFSET PLATE


CAT. NO.	COLOUR
PER044CH	Polished Chrome
PERO44BN	Brushed Nickel
PERO44MBL	Matt Black
PERO44BR	Polished Brass
PERO44BB	Brushed Brass
PERO44BAB	Brushed Antique Brass
PERO44SC	Satin Chrome
PER044MGM	Matt Gun Metal
PERO44BRG	Brushed Rose Gold
PERO44W	White
Adjustable Hinges	


PER344CH	Polished Chrome
PER344BN	Brushed Nickel
PER344MBL	Matt Black

### Wall to Glass Centered Hinge

- Full Back Plate
- Solid Brass Construction
- Suitable for 10 mm Thick Glass
- Glued in Gasket
- Recommended Wall to Glass Clearance: 8 mm








#### WALL TO GLASS HINGE CENTERED PLATE


CAT. NO.	COLOUR
PER037CH	Polished Chrome
PERO37BN	Brushed Nickel
PERO37MBL	Matt Black

## 135 Degree Glass to Glass Hinge

- 135 Degree Glass to Glass
- Solid Brass Construction
- Suitable for 10 mm Thick Glass
- Glued in Gasket
- Recommended Glass to Glass Clearance: 6 mm







#### 135 DEGREE GLASS TO GLASS HINGE

PER345BN

PER345MBI

CAT. NO.	COLOUR
PERO45CH	Polished Chrome
PERO45BN	Brushed Nickel
PERO45MBL	Matt Black
PERO45BR	Polished Brass
PERO45BB	Brushed Brass
PERO45BAB	Brushed Antique Brass
Adjustable Hinges	
PER345CH	Polished Chrome


Brushed Nickel


Matt Black

#### 90 Degree Glass to Glass Hinge

- 90 Degree Glass to Glass
- Solid Brass Construction
- · Suitable for 10 mm Thick Glass
- Glued in Gaskets
- Recommended Glass to Glass Clearance: 8 mm








#### 90 DEGREE GLASS TO GLASS HINGE


CAT. NO.	COLOUR
PER092CH	Polished Chrome
PERO92BN	Brushed Nickel
PER092MBL	Matt Black
PER092BR	Polished Brass
PER092BB	Brushed Brass
PERO92BAB	Brushed Antique Brass

# "T" Configuration Glass Hinge

- "T" Configuration Back to Back
- Solid Brass Construction
- Suitable for 10 mm Thick Glass
- Glued in Gaskets
- Recommended Glass to Glass Clearance: 8 mm








#### "T" CONFIGURATION BACK TO BACK GLASS HINGE


CAT. NO.	COLOUR
PERT90CH	Polished Chrome
PERT90BN	Brushed Nickel
PERT90MBL	Matt Black

## Square 90° Wall to Glass Bracket

- Wall Mount Clamp
- Brass Construction
- Suitable For 10 to 12 mm Thick Glass
- 4 NEW FINISHES AVAILABLE









# SQUARE 90° WALL TO GLASS BRACKET

CAT. NO.	COLOUR
SGCWMCH	Polished Chrome
SGCWMBN	Brushed Nickel
SGCWMMBL	Matt Black
SGCWMBR	Polished Brass
SGCWMBB	Brushed Brass
SGCWMBAB	Brushed Antique Brass
SGCWMSC NEW	Satin Chrome
SGCWMMGM NEW	Matt Gun Metal
SGCWMBRG NEW	Brushed Rose Gold
SGCWMW NEW	White

# Square & NEW Round 90° Wall to Glass Bracket

- Wall Mount Clamp
- Brass Construction
- Suitable For 10 to 12 mm Thick Glass
- 45 mm Wide Front Plate for Quick Silicone Sealing





SQUARE & ROUND 90° WALL TO GLA	ASS BRACKET
CAT. NO.	COLOUR

CAI. NO.	COLOUR
Square Profile	
SGC50CH	Polished Chrome
SGC50BN	Brushed Nickel
SGC50MBL	Matt Black
SGC50BR	Polished Brass
SGC50BB	Brushed Brass
SGC50BAB	Brushed Antique Brass
SGC50SC	Satin Chrome
SGC50MGM	Matt Gun Metal
SGC50BRG	Brushed Rose Gold
SGC50W	White
Round Profile	

Polished Chrome Brushed Nickel

Matt Black

NEW

**NEW** 

SGCR50CH


SGCR50BN


SGCR50MBL

# Square 180° Wall to Glass Inline Bracket

- · Wall Mount 180° Inline Clamp
- Brass Construction
- Suitable For 10 to 12 mm Thick Glass
- 1.5 mm Gap Between Glass & Wall







#### SQUARE WALL TO GLASS 180° INLINE BRACKET

CAT. NO.	COLOUR
SGC180WMCH	Polished Chrome
SGC180WMBN	Brushed Nickel
SGC180WMMBL	Matt Black
SGC180WMBR	Polished Brass
SGC180WMBB	Brushed Brass
SGC180WMBAB	<b>Brushed Antique Brass</b>

### Square 90° Glass to Glass Bracket

- 90 Degree Glass to Glass Clamp
- Brass Construction
- Suitable For 10 to 12 mm Thick Glass
- 1.5 mm Gap Between Glass Panels

# Square 180° Glass to Glass Bracket

- 180 Degree Glass to Glass Clamp
- Brass Construction
- Suitable For 10 to 12 mm Thick Glass
- 1.5 mm Gap Between Glass Panels


### Square 135° Glass to Glass Bracket


- 135 Degree Glass to Glass Clamp
- Brass Construction
- Suitable For 10 to 12 mm Thick Glass
- 1.5 mm Gap Between Glass Panels



















GLASS THICKNESS	"A"	"B"
10 mm	25 mm	37 mm
<u>12 mm</u>	25 mm	39 mm





#### SQUARE GLASS TO GLASS 90° BRACKET

CAT. NO.	COLOUR
SGC90DCH	Polished Chrome
SGC90DBN	Brushed Nickel
SGC90DMBL	Matt Black
SGC90DBR	Polished Brass
SGC90DBB	Brushed Brass
SGC90DBAB	Brushed Antique Brass

#### SQUARE GLASS TO GLASS 180° BRACKET

CAT. NO.	COLOUR
SGC180DCH	Polished Chrome
SGC180DBN	Brushed Nickel
SGC180DMBL	Matt Black
SGC180DBR	Polished Brass
SGC180DBB	Brushed Brass
SGC180DBAB	Brushed Antique Brass


#### SQUARE GLASS TO GLASS 135° BRACKET


CAT. NO.	COLOUR
SGC135DCH	Polished Chrome
SGC135DBN	Brushed Nickel
SGC135DMBL	Matt Black
SGC135DBR	Polished Brass
SGC135DBB	Brushed Brass
SGC135DBAB	Brushed Antique Brass

### **Square No Drill Clamp**

- Solid Brass Construction
- Suitable for 10 mm Thick Glass
- Grub Screw Attachment to Glass







#### SQUARE NO DRILL CLAMP


CAT. NO.	COLOUR
SGCNDCH	Polished Chrome
SGCNDBN	Brushed Nickel
SGCNDMBL	Matt Black
SGCNDBR	Polished Brass
SGCNDBB	Brushed Brass
SGCNDBAB	Brushed Antique Brass
SGCNDSC	Satin Chrome
SGCNDMGM	Matt Gun Metal
SGCNDBRG	Brushed Rose Gold
SGCNDW	White


SQUARE NO DRILL CLAMP FOR 12MM GLASS
SGCND12CH Polished Chrome

# Square No Drill Clamp with Leg

- · Offset Fixing Plate
- Solid Brass Construction
- · Suitable for 10 mm Thick Glass
- Grub Screw Attachment to Glass








#### SQUARE NO DRILL CLAMP WITH LEG


CAT. NO.	COLOUR
SGCNDLCH	Polished Chrome
SGCNDLBN	Brushed Nickel
SGCNDLMBL	Matt Black
SGCNDLBR	Polished Brass
SGCNDLBB	Brushed Brass
SGCNDLBAB	Brushed Antique Brass
SGCNDLSC	Satin Chrome
SGCNDLMGM	Matt Gun Metal
SGCNDLBRG	Brushed Rose Gold
SGCNDLW	White

# Square No Drill Clamp with 180° Inline Leg

- 180 Degree Inline Wall Mount
- Solid Brass Construction
- Suitable for 10 mm Thick Glass
- Grub Screw Attachment to Glass







Matt Black

Brushed Brass

SGCNDL180MBL


SGCNDL180BB


### **DOOR KNOBS SHOWER ACCESSORIES**

### **Round Long Shower Knob**

- 25 mm x 40 mm Round Back to Back Knob
- Brass Construction
- Suitable for 6-12 mm Thick Glass
- Requires a 12 mm Hole in Glass
- · Available in 10 Popular Finishes







#### CAT. NO. COLOUR SDKR2540CH SDKR2540BN Polished Chrome Brushed Nickel SDKR2540MBL SDKR2540BR Matt Black SDKR2540BB SDKR2540BAB

SDKR2540BAB SDKR2540SC SDKR2540MGM SDKR2540BRG SDKR2540W


ROUND LONG SHOWER KNOB


Polished Brass Brushed Brass Brushed Antique Brass Satin Chrome Matt Gun Metal Brushed Rose Gold White

#### **Round Short Shower Knob**

- 25 mm x 30 mm Round Back to Back Knob
- Brass Construction
- Suitable for 6-12 mm Thick Glass
- Requires a 12 mm Hole in Glass








#### ROUND SHORT SHOWER KNOB


CAT. NO.	COLOUR
SDKR2530CH SDKR2530BN SDKR2530MBL	Chrome Brushed Nickel Matt Black
ODIGICESSONIBL	- Matt Black

### Square Shower Knob

- Square 25 mm x 25 mm Back to Back Knob
- Brass Construction
- Suitable for 6-12 mm Thick Glass
- Requires a 12 mm Hole in Glass







SQUARE SHOWER KNOB	


CAT. NO.	COLOUR
SDKSQCH	Chrome
SDKSQBN	Brushed Nickel
SDKSQMBL	Matt Black


# **ADELAIDE / DARWIN SERIES SHOWER HINGES**


### Adelaide Series Bifold Hinge

- Solid Brass Construction
- Suitable for 8 12 mm Thick Glass
- Door Weight Capacity;
   Two Hinges 36 kg,
   Three Hinges 54 kg
- Door Width Capacity;
   Two Hinges 711 mm,
- Three Hinges 813 mm
- Recommended Glass to Glass Clearance: 3 mm
- Glued in Gaskets










#### ADELAIDE BIFOLD HINGE


CAT. NO.	COLOUR
ADL180CH	Chrome
ADL180BN	Brushed Nickel
ADL180MBL	Matt Black
ADL180BB	Brushed Brass

### Darwin Series Top/Bottom Pivot Hinge

- Solid Brass Construction
- Suitable for 8-10 mm Thick Glass
- Door Weight Capacity of 45kg
- Door Width Capacity of 787mm
- Multiple Gaskets
- Recommended Glass to Floor Clearance: 11 mm








#### DARWIN TOP/BOTTOM MOUNT PIVOT HINGE


DAR01MBL	Matt Black
DARO1BN	Brushed Nickel
DAR01CH	Chrome
CAT. NO.	COLOUR

# Overhead Panel Support Clamp

- Suitable for 8 mm 10 mm Glass
- Solid Brass Construction
- Glass to Glass Clearance: 5 mm
- Grub Screw Attatchment to Glass
- 5 NEW FINISHES AVAILABLE







#### OVERHEAD PANEL SUPPORT CLAMP

OVERHEAD PAINEL SUPPORT CLAMP		
CAT. NO.		COLOUR
SUPA10CH		Chrome
SUPA10BN		Brushed Nickel
SUPA10MBL		Matt Black
SUPA10BR		Polished Brass PVD
SUPA10BB		Brushed Brass PVD
SUPA10BAB	NEW	Brushed Antique Brass
SUPA10SC	NEW	Satin Chrome
SUPA10MGM	NEW	Matt Gun Metal
SUPA10BRG	NEW	Brushed Rose Gold
SUPA10W	NEW	White


# Clear Co-Extruded Bottom Wipe with Drip Rail



#### CLEAR CO-EXTRUDED BOTTOM WIPE WITH DRIP RAIL

CAT. NO.	LENGTH	GLASS THICKNESS
P914WS	2.4 m	6 MM
P956WS	2.4 m	8 MM
P990WS	2.4 m	10 MM
P912WS	2.4 m	12 MM


# Clear Dual Durometer PVC Seal with Wipe



CLEAR DUAL DUROMETER PVC SEAL WITH WIPE

CAT. NO.	LENGTH	GLASS THICKNESS
P14WS	2.4 m	6 MM
P770WS	2.4 m	8 MM
P880WS	2.4 m	10 MM
P120WS	2.4 m	12 MM


# Clear Polycarbonate Soft / Hard Leg 'h' Jamb 180 Degree



CLEAR POLYCARBONATE SOFT / HARD LEG 'H' JAMB 180 DEGREE

CAT. NO.	LEG TYPE	LENGTH	GLASS THICKNESS
PCC8	SOFTLEG	2.4 m	8 MM
PCC10	SOFT LEG	2.4 m	10 MM
PCC12	SOFT LEG	2.4 m	12 MM
P140HJ	HARD LEG	2.4 m	6 MM
P516HJ	HARD LEG	2.4 m	8 MM
P380HJ	HARD LEG	2.4 m	10 MM
P120HJ	HARD LEG	2.4 m	12 MM


## Clear Polycarbonate 'U' with Bulb Seal



CLEAR POLYCARBONATE 'U' WITH BULB SEAL

CAT. NO.	LENGTH	GLASS THICKNESS
PCR8	2.4 m	8 MM
PCR10	2.4 m	10 MM
PCR12	2.4 m	12 MM

### Clear 90 Degree Strike Side Seal



CLEAR 90 DEGREE STRIKE SIDE SEAL

CAT. NO.	LENGTH	GLASS THICKNESS
PCJ8	2.4 m	8 MM
PCJ10	2.4 m	10 MM

# Translucent Vinyl Edge 'V' Seal with Tape



TRANSLUCENT VINYL EDGE 'V' SEAL WITH TAPE

CAT. NO.	LENGTH / PACK QTY	SIZE
CDTCTO	2.4 m -	8 mm Soft &
SDTST2	Packs of 5	8 mm Rigid Leg



# Call on 1800 424 275

Fax on 1800 813 013

# Melbourne

42 Enterprise Drive Rowville VIC 3178 Tel. +61 3 9764 8322

# Sydney

9 Shale Place Eastern Creek NSW 2766 Tel. +61 2 9851 3444

# **Enquiries**

Email: crlaus@crlaurence.com

www.crlaurence.com.au

